

□□□□	FOB□□/□□/□□
□□□□	500,000PCS/□
□□	□□□□□□
□□□□	□□□□ 3-7 □□□□□□□□□□ 10 □ 15 □□□□□
□□	□□□□□□/□□□□
□□	□□□□□□□□ (DHL/UPS/FEDEX)
□□□□□□	100PCS
□□□□;□□□□	□□□□□□□□□□
□□	ISO13485□CE□FCC□ROHS□REACH□UKCA

Gold plated pogo pin  
 1A (2A max)  
 N52 performance  
 magnetic  
 Strength 4500gs



POSITIVE ELECTRODE

NEGATIVE ELECTRODE

## product description:

**Materials:** PVC+ABS


**POGO PIN :** Gold plated

**Magnetic:** N52

**Core:** International standard pure copper 10\*0.01mm

**Application:** smart watch charging & pogo pin charging  
for vacuum flask

**Color:** Black, white



**REMARK:** This item is standard specs model,  
other specs can be customized

## product description:

**Materials:** PVC+ABS


**POGO PIN :** Gold plated

**Magnetic:** N52

**Core:** International standard pure copper 10\*0.01mm

**Application:** smart watch charging & pogo pin charging  
for vacuum flask

**Color:** Black, white



**REMARK:** This item is standard specs model,  
other specs can be customized

# Application



Magnetic smart watch charger  
Support charging in multiple scenarios



Charging  
in car

Charging  
with  
AC adapter

Charging with  
power bank







单位: mm

备注:

- 1, CYCX0002磁性数据线: 线长0.6m, 线径3.0mm, 颜色白色, PIN数: 2pin
- 2, PIN角定义: VCHG--GND
- 3, 磁铁极性: S(南极) --N(北极)
- 4, 顶针长度: 6mm, 镀金3U, 弹力40g
- 5, 磁铁规格: 3.5\*4.0, 材料/铷铁硼, 性能
- 6, 铜丝规格: 10/0.10\*2c



**GOOCHAIN**

**东莞市谷诚电子科技有限公司**  
**DONGGUAN GOOCHAIN TECHNOLOGY CO.,LTD**

**Welcome To GOOCHAIN**



